

ADDENDUM NUMBER 1

GREENFIELD PARK
GOLF COURSE RENOVATION & IRRIGATION
Site # 766
12035 West Greenfield Avenue
West Allis, WI

Project Number: P287-13648-02 & 03

Notice Number: 6918

Date of Addendum: August 22, 2014

This Addendum to the Contract Documents is issued to modify, explain or correct the original documents, dated March 7, 2014, and is hereby made part of the Contract Documents. Acknowledge receipt of this Addendum in the space provided on the Bid Form, or bid may be rejected.

BIDDING DOCUMENTS

CONTRACT 02 - RENOVATION

1. Disadvantaged Business Enterprise Utilization goal for Contract 02 is changed to 13.8%.
2. Section 01100 – 1.2 CONTRACT DESCRIPTION; D. READS:
"Owner will close no more than one golf hole at a time during the performance of the Work under this contract"

SHALL BE CHANGED TO:

Owner will close the back nine holes 10-18 for the duration of the contract.

3. Section 01100 – 1.4 CONTRACTOR'S USE OF THE PREMISES AND CONSTRUCTION REQUIREMENTS; A.2. READS:

Use of the premises by the public. The park and course will remain open to the public to play,"

SHALL BE CHANGED TO:

The golf course front nine, holes 1-9 and other ancillary facilities including the Oak Leaf Trail shall remain open at all times.

4. Section 02211 – 2.1 MATERIALS A. SITE TOPSOIL READS:
"Excavated material, graded free of roots, rocks larger than 1/2 " subsoil, debris, weeds and foreign matter."

SHALL BE CHANGED TO:

"Excavated material, graded free of roots, rocks larger than 1/2 " subsoil, debris, weeds and foreign matter. All roots, rocks subsoil, debris, weeds and foreign matter found shall be buried on site at the direction of the owner"

CONTRACT 03 – IRRIGATION

1. Disadvantaged Business Enterprise Utilization goal for Contract 03 is changed to 0%.
2. Drawings: Replace irrigation legend on drawings with attached corrected "New Irrigation Legend".

ADD CONTRACT 04 – RENOVATION AND IRRIGATION

1. Add Contract 04 that combines contracts 02 and 03 into single bid.
2. Add attached bid form sheet 00410-4a.
3. Disadvantaged Business Enterprise Utilization goal for Contract 04 is 10%.

ATTACHMENTS:

1. Added bid form page 00410-4a
2. New Irrigation Legend

End of Addendum No. 1

ADDENDUM 1
DOCUMENT 00410
BID FORM
for
GREENFIELD PARK
GOLF COURSE RENOVATION & IRRIGATION
Site #766
12035 West Greenfield Avenue
West Allis, WI

Project No. P287-13648-02/03

CONTRACT 4: GOLF COURSE RENOVATION AND IRRIGATION

A. TOTAL BASE BID (CONTRACT 2): (Sum of Items 1-16 from Contract 2, inclusive):

_____ (In words) _____
_____ Dollars \$ _____ (In figures) _____

B. TOTAL BASE BID (CONTRACT 3): (Including Allowance)

_____ (In words) _____
_____ Dollars \$ _____ (In figures) _____

C. DEDUCT FOR COMBINING CONTRACT 2 & 3:

_____ (In words) _____
_____ Dollars \$ _____ (In figures) _____

TOTAL BASE BID (CONTRACT 4): (Sum of Items A thru C above, inclusive):

_____ (In words) _____
_____ Dollars \$ _____ (In figures) _____

ALTERNATIVES

Fill in Alternatives as listed. Where no change in base Bid occurs for Alternative, mark "No Change" or if "Add to or Deduct from base Bid occurs, cross out the description that does not apply. See Section 01230. If an Alternative is left blank it shall mean Contractor shall perform the Work without addition or deduction in the Contract price.

TOTAL ALTERNATIVE A (From Contract 2 Alternative Bid A - Sum of Items 1-8, inclusive):

The Work for the sum of:

_____ (In words) _____
_____ Dollars \$ _____ (In figures) _____

NEW IRRIGATION LEGEND	
●	TORD 854S-46-536 FULL CIRCLE SPRINKLER HEAD - 69' RADIUS -23.5 GPM - 65 PSI
○	TORD 835S-46-536 PART CIRCLE SPRINKLER HEAD - 68' RADIUS -23.5 GPM - 65 PSI
○	TORD 855S-46-536 PART CIRCLE COLLAR SPRINKLER HEAD - 68' RADIUS -23.5 GPM - 65 PSI
●	TORD 854S-46-568 FULL CIRCLE SPRINKLER HEAD - 85' RADIUS -40.7 GPM - 80 PSI
○	TORD 855S-46-568 PART CIRCLE SPRINKLER HEAD - 85' RADIUS -40.7 GPM - 80 PSI
▲	TORD 474-40 1-INCH QUICK COUPLER VALVE
▶	MAIN LINE ISOLATION VALVE (SIZED TO PIPE)
∞	LATERAL LINE ISOLATION VALVE (3" EXCEPT AS NOTED)
—	NEW SDR-21 CLASS 200 PVC MAIN LINE PIPE (SIZE AS INDICATED)
—	NEW SDR-21 CLASS 200 PVC LATERAL LINE PIPE (SIZE AS INDICATED)
— —	117 VAC FIELD SATELLITE POWER WIRE (SIZE AS INDICATED)